



Cement Shear JS8000

Satisfy professional's needs.

Best Designed for Cutting Cement-board



Cement Shear	JS8000	419										
	<ul style="list-style-type: none"> Double Insulation Carrying Case 	<table border="1"> <tr> <td><i>Max cutting capacity</i></td> <td>Cement-board: 8mm (5/16")</td> </tr> <tr> <td><i>Strokes per minute</i></td> <td>0 - 2,500spm</td> </tr> <tr> <td><i>Dimensions (L x W x H)</i></td> <td>346 x 70 x 223mm (13-5/8" x 2-3/4" x 8-3/4")</td> </tr> <tr> <td><i>Net weight</i></td> <td>2.1kg (4.6lbs)</td> </tr> <tr> <td><i>Power supply cord</i></td> <td>2.5m (8.2ft)</td> </tr> </table>	<i>Max cutting capacity</i>	Cement-board: 8mm (5/16")	<i>Strokes per minute</i>	0 - 2,500spm	<i>Dimensions (L x W x H)</i>	346 x 70 x 223mm (13-5/8" x 2-3/4" x 8-3/4")	<i>Net weight</i>	2.1kg (4.6lbs)	<i>Power supply cord</i>	2.5m (8.2ft)
	<i>Max cutting capacity</i>	Cement-board: 8mm (5/16")										
<i>Strokes per minute</i>	0 - 2,500spm											
<i>Dimensions (L x W x H)</i>	346 x 70 x 223mm (13-5/8" x 2-3/4" x 8-3/4")											
<i>Net weight</i>	2.1kg (4.6lbs)											
<i>Power supply cord</i>	2.5m (8.2ft)											
Standard Equipment Hex wrench												



Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

Printed in Japan Z23271-2 2006-09