



Cordless Screwdrivers / Cordless Angle Screwdrivers
BFT041R/ BFT082R/ BFT124R / BFL201R/ BFL301R/ BFL402R

Rigid Aluminum alloy Head



Built-in Bluetooth Transmitter



A Indication Lamp

and Beeper to inform low battery power and OK/ NOK judgment of each fastening



Compact and Lightweight Brushless DC motor



Non-Slip Grip with dimpled surface



B Reverse Switch

Push-button conveniently located

C On/Off Switch with:

/// Delayed restarter for preventing overtightening; for one second after a screw has been tightened, the motor does not restart even if the trigger is unintentionally pulled.


/// Soft start function for reducing starting shock

/// Machine screws are used to assemble housing (L) and (R) together for high reparability.

14.4V Li-ion Battery (Sold separately)



Built-in LED Job Light for more illuminated operation



Cordless Screwdrivers
BFT041R/ BFT082R/ BFT124R
Cordless Angle Screwdrivers
BFL201R/ BFL301R/ BFL402R

Satisfy Professional's Needs



Torque Tracer

Wireless Data Communication by Bluetooth



Accessories

Receiver RCV02 Part No. 194480-1 	CD-ROM (software) Part No. 889919-4 	Torque adjust tool (Adjust Grip) Part No. 765027-4 	Protector BFT041R series Red BFL201R Yellow BFL301R / BFL402R Type A Red BFL301R / BFL402R Type C Blue																														
Part No. A-47977 (with CD-ROM set)	CD-ROM (instruction manual) Part No. 889920-9 	12.7mm(1/2") Square drive For Model BFL301R, BFL402R Part No. 154450-2 	<table border="1"> <thead> <tr> <th>For Model</th> <th>BFT041R series</th> <th>BFL201R</th> <th colspan="2">BFL301R / BFL402R</th> </tr> <tr> <th>Color</th> <th></th> <th></th> <th>Type A</th> <th>Type C</th> </tr> </thead> <tbody> <tr> <td>Red</td> <td>418425-8</td> <td>418065-2</td> <td>418744-2</td> <td>418750-7</td> </tr> <tr> <td>Blue</td> <td>418424-0</td> <td>418064-4</td> <td>418743-4</td> <td>418749-2</td> </tr> <tr> <td>Yellow</td> <td>418423-2</td> <td>418032-7</td> <td>418691-7</td> <td>418693-3</td> </tr> <tr> <td>Clear</td> <td>450331-1</td> <td>418066-0</td> <td>418745-0</td> <td>418751-5</td> </tr> </tbody> </table>	For Model	BFT041R series	BFL201R	BFL301R / BFL402R		Color			Type A	Type C	Red	418425-8	418065-2	418744-2	418750-7	Blue	418424-0	418064-4	418743-4	418749-2	Yellow	418423-2	418032-7	418691-7	418693-3	Clear	450331-1	418066-0	418745-0	418751-5
For Model	BFT041R series	BFL201R	BFL301R / BFL402R																														
Color			Type A	Type C																													
Red	418425-8	418065-2	418744-2	418750-7																													
Blue	418424-0	418064-4	418743-4	418749-2																													
Yellow	418423-2	418032-7	418691-7	418693-3																													
Clear	450331-1	418066-0	418745-0	418751-5																													
RS-232C cable Part No. 638386-8 	Grip Part No. 273443-1 																																
USB serial adapter set Part No. 194089-9 	Grip base set Part No. 193874-7 																																

Cordless Screwdriver



Cordless Angle Screwdriver



- Soft Start
- Reversing
- Electric Brake
- Built-in Job Light

	BFT041R	BFT082R	BFT124R	BFL201R	BFL301R	BFL402R
Capacity Driving shank	Hex. 6.35mm (1/4")	Hex. 6.35mm (1/4")	Hex. 6.35mm (1/4")	Square drive 9.5mm (3/8")	Square drive 9.5mm (3/8")	Square drive 9.5mm (3/8")
No load speed	800rpm	860rpm	600rpm	360rpm	260rpm	200rpm
Recommended torque Hard / Soft	1-4 / 1-4N.m	4-8 / 4-8N.m	6-12 / 6-12N.m	10-20 / 10-20N.m	16-30 / 16-30N.m	25-40 / 25-40N.m
Dimensions (L x W x H)	191 x 72 x 266mm (7-1/2" x 2-13/16" x 10-1/2")	191 x 72 x 266mm (7-1/2" x 2-13/16" x 10-1/2")	191 x 72 x 266mm (7-1/2" x 2-13/16" x 10-1/2")	429 x 72 x 98mm (16-7/8" x 2-13/16" x 3-7/8")	477 x 72 x 98mm (18-3/4" x 2-13/16" x 3-7/8")	477 x 72 x 98mm (18-3/4" x 2-13/16" x 3-7/8")
Net weight	1.5kg (3.3lbs)	1.5kg (3.3lbs)	1.5kg (3.3lbs)	1.7kg (3.8lbs)	2.0kg (4.4lbs)	2.0kg (4.4lbs)
Voltage	14.4V	14.4V	14.4V	14.4V	14.4V	14.4V

Standard Equipment None (Battery and charger are sold separately)

Items of standard equipment and specifications may differ by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN Z1512-2 2007-06



Lithium-ion eXtreme Technology



